

AD8618ARZ

Data Sheet

Precision 20 MHz CMOS Quad Rail-to-Rail Operational Amplifier; Package: SOIC; No of Pins: 14; Temperature Range: Industrial

Manufacturers Analog Devices, Inc

Package/Case SOIC-14

Product Type Amplifier ICs

RoHS Pb-free Halide free

Lifecycle



Images are for reference only

Please submit RFQ for AD8618ARZ or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFQ

General Description

The AD8615, AD8616 and AD8618 are single, dual and quadrail-to-rail input and output single supply amplifiers featuringvery low offset voltage, wide signal bandwidth, and low inputvoltage and current noise. These amplifiers use a patentedtrimming technique that achieves superior precision withoutlaser trimming. All are fully specified to operate from +2.7 V to+5 V single supply.

The combination of low offsets, low noise, very low input biascurrents, and high speed make these amplifiers useful in a widevariety of applications. Filters, integrators, photo-diodeamplifiers and high impedance sensors all benefit from the combination of performance features. Audio and other ACapplications benefit from the wide bandwidth and low distortion.

Features

Low Offset Voltage: $80~\mu V$ typ. $300~\mu V$ max

Single-Supply Operation:

2.7 to 5 V

Low Noise: 8 nV/√Hz

Wide Bandwidth: 20 MHz

Slew Rate: 12 V/µs

Low Distortion

No Phase Reversal

Low Input Bias Currents

Unity Gain Stable

Related Products



AD8418BRMZ-RL

Analog Devices, Inc MSOP-8



ADA4084-2ARMZ

Analog Devices, Inc MSOP-8



AD8567ARUZ

Analog Devices, Inc TSSOP-14



AD8022ARMZ

Analog Devices, Inc MSOP-8



ADA4528-2ARMZ-R7

Analog Devices, Inc MSOP-8



AD8062ARMZ

Analog Devices, Inc MSOP8



AD8628AUJZ

Analog Devices, Inc SOP23



AD8041AR

Analog Devices, Inc SOP-8