



Data Sheet

Digital to Analog Converters - DAC LC2MOS Dual 12-Bit

Manufacturers Analog Devices, Inc

Package/Case SOIC-24

Product Type Data Conversion ICs

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for AD7837BRZ or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

Both parts are microprocessor compatible, with high speed data latches and interface logic. The AD7847 accepts 12-bit parallel data which is loaded into the respective DAC latch using the WR input and a separate Chip Select input for each DAC. The AD7837 has a double-buffered 8-bit bus interface structure with data loaded to the respective input latch in two write operations. An asynchronous LDAC signal on the AD7837 updates the DAC latches and analog outputs.

The output amplifiers are capable of developing $\pm 10~V$ across a 2 kOhm load. They are internally compensated with low input offset voltage due to laser trimming at wafer level.

The amplifier feedback resistors are internally connected to VOUT on the AD7847.

The AD7837/AD7847 is fabricated in Linear Compatible CMOS (LC2MOS), an advanced, mixed technology process that combines precision bipolar circuits with low power CMOS logic.

A novel low leakage configuration (U.S. Patent No. 4,590,456) ensures low offset errors over the specified temperature range.

Features

Two 12-Bit MDACs with Output Amplifiers

Space-Saving 0.3", 24-Lead DIP an 24-Terminal SOIC Package

4-Quadrant Multiplication


Parallel Loading Structure: AD7847



Related Products



ADAS3022BCPZ
Analog Devices, Inc
LFCSP-40



AD7266BSUZ

Analog Devices, Inc
TQPF-32



AD574AJNZ
Analog Devices, Inc
PDIP-28



Analog Devices, Inc SOIC-16

AD7401YRWZ



AD7938BSUZ
Analog Devices, Inc
TQFP-32



AD7124-8BCPZ-RL7
Analog Devices, Inc
LFCSP-32



AD7192BRUZ-REEL
Analog Devices, Inc
TSSOP-24



AD9680BCPZ-500
Analog Devices, Inc
LFCSP-64