



Data Sheet

Digital to Analogue Converter, 12 bit, Parallel, ± 14.25V to ± 15.75V, WSOIC, 24 Pins


Manufacturers Analog Devices, Inc

Package/Case SOIC-24

Product Type Data Conversion ICs

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for AD7845JRZ or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

## **General Description**

The AD7845 is the industry's first 4-quadrant multiplying D/A converter with an on-chip amplifier. It is fabricated on the LC 2MOS process, which allows precision linear components and digital circuitry to be implemented on the same chip.

The 12 data inputs drive latches which are controlled by standard CS and WR signals, making microprocessor interfacing simple. For stand-alone operation, the CS and WR inputs can be tied to ground, making all latches transparent. All digital inputs are TTL and 5 V CMOS compatible.

The output amplifier can supply  $\pm 10 \text{ V}$  into a 2k(ohm) load. It is internally compensated, and its input offset voltage is low due to laser trimming at wafer level. For normal operation, RFB is tied to VOUT, but the user may alternatively choose RA, RB or RC to scale the output voltage range.

## **Features**

12-Bit CMOS MDAC with Output Amplifier


4-Quadrant Multiplication

Low Power LC2MOS

Guaranteed Monotonic (Tmin to Tmax)

Space-Saving 0.3" DIPS and 24- or 28- Terminal Surface Mount Packages

Application Resistors On Chip for Gain Ranging, etc.



## **Related Products**



ADAS3022BCPZ
Analog Devices, Inc
LFCSP-40



AD574AJNZ
Analog Devices, Inc
PDIP-28



AD7938BSUZ
Analog Devices, Inc
TQFP-32



AD7266BSUZ

Analog Devices, Inc
TQPF-32



AD7401YRWZ
Analog Devices, Inc
SOIC-16



AD7192BRUZ-REEL
Analog Devices, Inc
TSSOP-24



AD7124-8BCPZ-RL7
Analog Devices, Inc
LFCSP-32



Analog Devices, Inc LFCSP-64