

MAX335EWG

Data Sheet

Analog Switch ICs

Manufacturers <u>Analog Devices, Inc</u>

Package/Case SOIC-24

Product Type Interface ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MAX335EWG or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

MAX335EWG is a specific electronic component manufactured by Maxim Integrated, which is a triple SPDT analog switch.

Features

It has three normally closed (NC) switches that can operate from a single power supply voltage range of $\pm 2V$ to $\pm 12V$.

It has a low on-resistance of 45 Ohms at a +5V supply voltage.

It has a low leakage current of 0.5nA (typ) at a +25°C temperature.

It can operate over a wide temperature range of -40°C to +85°C.

Application

Audio and video signal switching


Battery-powered equipment

Instrumentation and measurement systems

Portable devices

Communications equipment







MAX3232EEUE

Analog Devices, Inc TSSOP-16



MAX202CSE

Analog Devices, Inc SOP-16



MAX3221EEUE

Analog Devices, Inc TSSOP-16



MAX490MJA



Analog Devices, Inc CDIP-8



MAX4544EUT+T

Analog Devices, Inc SOT-23-6



MAX485ECPA

Analog Devices, Inc DIP-8



MAX3323EEUE

Analog Devices, Inc TSSOP-16



MAX3232EUE

Analog Devices, Inc TSSOP-16