

ADG451BRZ

Data Sheet

Analogue Switch, 4 Channels, SPST, 4 ohm, \pm 4.5V to \pm 20V, SOIC, 16 Pins

Manufacturers Analog Devices, Inc

Package/Case SOIC-16

Product Type Interface - Switches, Multiplexers, Demultiplexers

RoHS Rohs

Please submit RFQ for ADG451BRZ or Email to us: sales@ovaga.com We will contact you in 12 hours.

Images are for reference only

RFO

General Description

Lifecycle

The ADG451 is a monolithic CMOS device comprising four independently selectable switches. It is designed on an enhanced LC2MOS process which provides low power dissipation yet gives high switching speed and low on resistance.

The ADG451 switches are turned on with a logic low on the appropriate control input. Each switch conducts equally well in both directions when ON and each has an input signal range that extends to the supplies. All switches exhibit break-before-make switching action for use in multiplexer applications. Inherent in the design is low charge injection for minimum transients when switching the digital inputs.

Features Application

Low On-Resistance (4 Ω) Relay Replacement

On-Resistance Flatness 0.2Ω Audio and Video Switching

44 V Supply Maximum Ratings Automatic Test Equipment

Fully Specified $@\pm 5V$, $\pm 12V$, $\pm 15V$ Precision Data Acquisition

Ultralow Power Dissipation (18 µW)

Battery-Powered Systems

ESD 2 kV Sample Hold Systems

Continuous Current 100mA Communication Systems

Fast Switching Times ton < 70 nstoff < 60 ns PBX, PABX Systems

TTL/CMOS-Compatible Inputs Avionics

Related Products



ADV7181CBSTZ

Analog Devices, Inc
LQFP-64



AD724JR
Analog Devices, Inc
SOIC-16



ADV7391WBCPZ
Analog Devices, Inc
LFSCP-3



ADV7341BSTZ

Analog Devices, Inc
LQFP-64



Analog Devices, Inc SOP8



ADV7393BCPZ
Analog Devices, Inc
LFCSP-VQ-40



Analog Devices, Inc QFN32



Analog Devices, Inc SOIC-16