

ATTINY20-MMH

Data Sheet

AVR, 2KB FLASH, 128B SRAM, ADC, 2T - 12MHz, 3x3 QFN, Ind.Grade, NiPdAu

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case VQFN-20

Product Type Embedded Processors & Controllers

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for ATTINY20-MMH or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

The ATtiny202 is a microcontroller using the 8-bit AVR® processor with hardware multiplier, running at up to 20MHz and2KB Flash, 128B SRAM and 64 bytes of EEPROM in a 8-pin package. The series uses the latest technologies from Microchip with a flexible and low power architecture including Event System and SleepWalking, accurate analog features and advanced peripherals.

Features

8-bit high-performance AVR RISC CPU 135 instructions Hardware multiplier Ultra Low Power (ULP) Three sleep modes: Idle Standby Power Down 6 Channels Event System Configurable Custom Logic (CCL) 12 Channel 10-bit ADC with Voltage Reference Comparators 2x 16-bit Timer (TCA / TCB) Cyclical Redundancy Check (CRC/SCAN) Watchdog Timer (WDT) Power-On Reset (POR) Single pin programming and debugging interface (UPDI) Operation Voltage: 1.8V – 5.5V **Related Products**



ATSAMA5D36A-CU Microchip Technology, Inc LFBGA-324



ATXMEGA128D3-AU Microchip Technology, Inc TQFP-64



ATMEGA32M1-AU Microchip Technology, Inc TQFP-32



ATTINY2313V-10SU Microchip Technology, Inc SOIC-20



ATMEGA64M1-15AZ
Microchip Technology, Inc
TQFP-32



Microchip Technology, Inc PDIP-40

ATMEGA16L-8PU



ATTINY48-MU Microchip Technology, Inc VQFN-32



ATTINY4-TSHR

Microchip Technology, Inc
SOT-23-6