

ATTINY406-SN

Data Sheet

8 Bit MCU, AVR Family ATtiny406 Series Microcontrollers, 20 MHz, 4 KB, 256 Byte, 20 Pins, SOIC

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case 20-SOIC (0.295, 7.50mm Width)

Product Type Embedded Processors & Controllers

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for ATTINY406-SN or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFQ

General Description

The ATtiny406 is a microcontroller using the 8-bit AVR® processor with hardware multiplier, running at up to 20MHz and4KB Flash, 256B SRAM and 128 bytes of EEPROM in a 24-pin package. The series uses the latest technologies from Microchip with a flexible and low power architecture including Event System and SleepWalking, accurate analog features and advanced peripherals.

Features

8-bit high-performance AVR RISC CPU
135 instructions
Hardware multiplier
Ultra Low Power (ULP)
Three sleep modes:
Idle
Standby
Power Down
6 Channels Event System
Configurable Custom Logic (CCL)
12 Channel 10-bit ADC with Voltage Reference
Comparators
2x 16-bit Timer (TCA / TCB)
Cyclical Redundancy Check (CRC/SCAN)
Watchdog Timer (WDT)
Power-On Reset (POR)
Single pin programming and debugging interface (UPDI)
Operation Voltage: 1.8V – 5.5V



Related Products



ATSAMA5D36A-CU Microchip Technology, Inc LFBGA-324



ATXMEGA128D3-AU

Microchip Technology, Inc
TQFP-64



ATMEGA32M1-AU
Microchip Technology, Inc
TQFP-32



ATTINY2313V-10SU

Microchip Technology, Inc
SOIC-20



ATMEGA64M1-15AZ
Microchip Technology, Inc
TQFP-32



Microchip Technology, Inc PDIP-40

ATMEGA16L-8PU



ATTINY48-MU Microchip Technology, Inc VQFN-32



ATTINY4-TSHR

Microchip Technology, Inc
SOT-23-6