

SMART 3 ADVANCED BOOT BLOCK 4-, 8-, 16-, 32-MBIT FLASH MEMORY FAMILY

Manufacturers	<a href="#">Intel Corp</a>
Package/Case	TSSOP-56
Product Type	Memory
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for TE28F160S570 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

The TE28F160S570 is a 16-megabit (2 megabyte) CMOS flash memory IC.

## Features

Organization: 2M x 8 bits

Voltage Supply: 3.0V to 3.6V

Interface: Parallel

Access Time: 70 ns (max)

Operating Temperature Range: -40°C to +85°C

Package: 48-pin TSOP (Thin Small Outline Package)

## Application

Embedded systems

Networking devices

Communication equipment

Industrial applications

Automotive applications



## Related Products



[TE28F640J3C-120](#)

Intel Corp  
TSOP-56



[TE28F160S3100](#)

Intel Corp  
TSOP56



[TE28F128J3C150](#)

Intel Corp  
TSOP-56



[TE28F320J3C110](#)

Intel Corp  
TSSOP56/BGA



[TE28F640J3C120](#)

Intel Corp  
TSOP-56



[TE28F128J3D-75](#)

Intel Corp  
TSSOP-56



[TE28F320C3BD70](#)

Intel Corp  
TSSOP-48



[TE28F256J3C125](#)

Intel Corp  
TSOP56