

ATTINY2313A-MU

Data Sheet

8-bit Microcontrollers - MCU 2K FLASH 128B EE 128B SRAM 1 UART

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case WQFN-20

Product Type Embedded Processors & Controllers

RoHS Rohs

Please submit RFQ for ATTINY2313A-MU or Email to us: sales@ovaga.com We will contact you in 12 hours.



Images are for reference only

RFO

General Description

The high-performance Microchip picoPower® AVR® RISC-based CMOS 8-bit microcontroller combines 2 KB Flash memory, 128B EEPROM, 128B SRAM, 18 general purpose I/O lines, 32 general purpose working registers, a single-wire Interface for on-chip debugging, two flexible timer/counters with compare modes, internal and external interrupts, serial programmable USART, a universal serial interface (USI) with start condition detector, programmable watchdog timer with internal oscillator, and three software selectable power saving modes. The device operates between 1.8-5.5 volts.

By executing powerful instructions in a single clock cycle, the device achieves throughputs approaching one MIPS per MHz, balancing power consumption and processing speed.

Features

Lifecycle

120 Powerful Instructions - Most Single Clock Cycle Execution

32 x 8 General Purpose Working Registers

Fully Static Operation

Up to 20 MIPS Throughput at 20 MHz

Related Products



ATSAMA5D36A-CU
Microchip Technology, Inc
LFBGA-324



ATMEGA32M1-AU
Microchip Technology, Inc
TQFP-32



ATXMEGA128D3-AU

Microchip Technology, Inc TQFP-64



ATMEGA64M1-15AZ

Microchip Technology, Inc TQFP-32



ATTINY48-MU

Microchip Technology, Inc VQFN-32



ATTINY2313V-10SU

Microchip Technology, Inc SOIC-20



ATMEGA16L-8PU

Microchip Technology, Inc PDIP-40



ATTINY4-TSHR

Microchip Technology, Inc SOT-23-6