

28 Pin, 16KB Enh Flash, 768 RAM, 23 I/O, FS-USB 2.0, -40C to +85C, 28-SPDIP, TUBE, Microcontrollers (MCU) 16KB 768 RAM 23 I/O FS-USB 2.0

Manufacturers	Microchip Technology, Inc
Package/Case	SPDIP-28
Product Type	Embedded Processors & Controllers
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for PIC18F2450-I/SP or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

Features

Full Speed USB 2.0 (12Mbit/s) interface

256 byte Dual Port RAM + 512 byte GP RAM

Full Speed USB Transceiver


16 Endpoints (IN/OUT)

Internal Pull Up resistors (D+/D-)

48 MHz performance (12 MIPS)

Pin-to-pin compatible with PIC16C745

Related Products



[PIC24F16KA101-I/SS](#)

Microchip Technology, Inc
SSOP-20



[PIC16F1936-I/SS](#)

Microchip Technology, Inc
SSOP-28




[PIC16F1938-I/SP](#)

Microchip Technology, Inc
PDIP-28




[PIC18F23K22-I/SP](#)

Microchip Technology, Inc
SPDIP-28



[PIC18F6520-I/PT](#)

Microchip Technology, Inc
TQFP-64



[PIC18F2620-I/SP](#)

Microchip Technology, Inc
SPDIP-28



[PIC18F2620-I/SO](#)

Microchip Technology, Inc
SOIC-28



[PIC18F97J60T-I/PT](#)

Microchip Technology, Inc
TQFP-100