
🔉 ovaga

ADG444BNZ

Data Sheet

LC2MOS Quad SPST Switch; Package: PDIP; No of Pins: 16; Temperature Range: Industrial

Manufacturers	Analog Devices, Inc
Package/Case	PDIP-16
Product Type	Analog Switch ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for ADG444BNZ or Email to us: sales@ovaga.com We will contact you in 12 hours.


<u>RFQ</u>

General Description

The ADG444 switches are turned on with a logic low on the appropriate control input. Each switch conducts equally well in both directions when ON and each has an input signal range that extends to the supplies. All switches exhibit break-before-make switching action for use in multiplexer applications. Inherent in the design is low charge injection for minimum transients when switching the digital inputs.

Features

- 44 V Supply Maximum Ratings
- VSS to VDD Analog Signal Range
- Low On-Resistance (< 70 O)
- Low $\triangle RON (9 \Omega max)$
- Low RON Match ($3 \Omega max$)
- Low Power Dissipation
- Fast Switching Timeston < 110 nstoff < 60 ns
- Low Leakage Current (3 nA max)
- Low Charge Injection (6 pC max)
- Break-Before-Make Switching Action
- Latch Up Proof "A" grade options



Related Products



Analog Devices, Inc LQFP-64

ADV7181CBSTZ



LQFP-64

Analog Devices, Inc SOIC-16





AD8170AR

Analog Devices, Inc SOP8

ADV7393BCPZ

Analog Devices, Inc LFCSP-VQ-40



ADV7391WBCPZ

Analog Devices, Inc LFSCP-3



ADV7390BCPZ

Analog Devices, Inc QFN32



ADV7341BSTZ

Analog Devices, Inc LQFP-64



ADUM4160BRIZ

Analog Devices, Inc SOIC-16