

ATTINY404-SSNR

Data Sheet

8 Bit MCU, AVR Family ATtiny404 Series Microcontrollers, 20 MHz, 4 KB, 256 Byte, 14 Pins, SOIC

Manufacturers	Microchip Technology, Inc	
Package/Case	14-SOIC (0.154, 3.90mm Width)	
Product Type	Embedded Processors & Controllers	
RoHS		
Lifecycle		Images are for reference only
Please submit RFQ for ATTINY404-SSNR or <u>Email to us: sales@ovaga.com</u> We will contact you in 12 hours. <u>RFQ</u>		

General Description

The ATtiny404 is a microcontroller using the 8-bit AVR® processor with hardware multiplier, running at up to 20MHz and4KB Flash, 256B SRAM and 128 bytes of EEPROM in a 14-pin package. The series uses the latest technologies from Microchip with a flexible and low power architecture including Event System and SleepWalking, accurate analog features and advanced peripherals.

Features

8-bit high-performance AVR RISC CPU

135 instructions

Hardware multiplier

Ultra Low Power (ULP)

Three sleep modes:

Idle

Standby

Power Down

6 Channels Event System

Configurable Custom Logic (CCL)

12 Channel 10-bit ADC with Voltage Reference

Comparators

2x 16-bit Timer (TCA / TCB)

Cyclical Redundancy Check (CRC/SCAN)

Watchdog Timer (WDT)

Power-On Reset (POR)

Single pin programming and debugging interface (UPDI)

Operation Voltage: 1.8V-5.5V

Related Products



ATSAMA5D36A-CU

Microchip Technology, Inc LFBGA-324



ATXMEGA128D3-AU Microchip Technology, Inc TQFP-64





ATMEGA32M1-AU

Microchip Technology, Inc TQFP-32

ATTINY2313V-10SU

Microchip Technology, Inc SOIC-20



ATMEGA64M1-15AZ

Microchip Technology, Inc TQFP-32



ATMEGA16L-8PU

Microchip Technology, Inc PDIP-40



ATTINY48-MU

Microchip Technology, Inc VQFN-32



ATTINY4-TSHR

Microchip Technology, Inc SOT-23-6