

AVR, 4KB FLASH, 256B EE, 256B SRAM - 20MHz, SOIC, IND TEMP, Green, 1.8-5.5V

|               |   |
|---------------|---|
| Manufacturers | <a href="#">Microchip Technology, Inc</a> |
| Package/Case  | SOIC-14                                   |
| Product Type  | Embedded Processors & Controllers         |
| RoHS          | Rohs                                      |
| Lifecycle     |   |



Images are for reference only

Please submit RFQ for ATTINY44A-SSU or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description


The high-performance Microchip picoPower 8-bit AVR RISC-based microcontroller combines 4KB ISP flash memory, 256-Byte EEPROM, 256B SRAM, 12 general purpose I/O lines, 32 general purpose working registers, an 8-bit timer/counter with two PWM channels, a 16-bit timer/counter with two PWM channels, internal and external interrupts, an 8-channel 10-bit A/D converter, programmable gain stage (1x, 20x) for 12 differential ADC channel pairs, programmable watchdog timer with internal oscillator, internal calibrated oscillator, and four software selectable power saving modes. The device operates between 1.8-5.5 volts.

By executing powerful instructions in a single clock cycle, the device achieves throughputs approaching 1 MIPS per MHz, balancing power consumption and processing speed.





## Related Products



### [ATXMEGA128D3-AU](#)

Microchip Technology, Inc  
LFBGA-324



### [ATXMEGA128D3-AU](#)

Microchip Technology, Inc  
TQFP-64




### [ATMEGA32M1-AU](#)

Microchip Technology, Inc  
TQFP-32



### [ATTINY2313V-10SU](#)

Microchip Technology, Inc  
SOIC-20



[ATMEGA64M1-15AZ](#)

Microchip Technology, Inc  
TQFP-32



[ATMEGA16L-8PU](#)

Microchip Technology, Inc  
PDIP-40



[ATTINY48-MU](#)

Microchip Technology, Inc  
VQFN-32



[ATTINY4-TSHR](#)

Microchip Technology, Inc  
SOT-23-6